Journal of Herpetology, Vol. 37, No. 4, pp. 773–781, 2003
Copyright 2003 Society for the Study of Amphibians and Reptiles

INDEX TO SCIENTIFIC NAMES
Volume 37
2003

Numbers refer to text pages on which taxon appears; those followed by an "F" indicate reference to a Figure; those followed by a "T" refer to a Table. New names are listed in **boldface** type.

Ablepharus 546, 548
alaicus alaicus 546, 547
alaicus kucenkoi 546
alaicus yakovlevea 546
bivittatus 546
ladacensis 546
lindbergi 546
Acanthixalus 43–52
spinosus 43, 47, 48, 49, 51
sonjae sp. nov. 43–52
Acris crepitans 383–385
Adelphicos 720
Agalychnis 65
saltator 359
Agama agama 210
Agkistrodon 242
piscivorus 315
Alligator 201
mississippiensis 200, 201, 366
Alligatoridae 199–202
Allobates 707
Alytes obstetricans 410–413
Ambystoma 33, 66, 444, 487, 617, 619
barbouri 24, 65, 69, 595
gracile 24–34
jeffersonianum 24, 479–489
macrodactylum 24–34
maculatum 24, 33, 65–71, 391, 479–489, 608, 612, 617, 621
opacum 33
talpoideum 24, 33
texanum 24
tigrinum stebbinsi 760
Ambystomatidae 443
Ameiva 40, 505
ameiva 6, 8, 40, 41, 504, 506, 703
plei 772
Amphisbaena
alba 407, 506, 702, 703
gonavensis 406
Aneides lugubris 734
Anodonthyla 635
Anolis 52–58, 79, 82–91, 195, 266–276, 283, 415, 467, 476, 692, 769, 771
aeneus 272, 585
allisoni 467
carolinensis 213, 266–276, 415, 426, 467–478
conspersus 274
cristatellus 82–91
evermanni 82–91
extremus 266–276
fuscoauratus 276
grahami 266–276
gundlachi 82–91
krugi 82–91
leachi 266–276
longiceps 467, 468
maynardi 467, 468, 477
nebulosus 6, 274, 437
nitens 276
ortoni 276
philopunctatus 276
phyllorhinus 276, 277
porcatus 467, 477
pulchellus 82–91
poncensis 82
punctatus 276–285
sagrei 88, 414–416, 538–540
spp. 72–81
strahmi 55T
stratulus 82–91
transversalis 276–285
Anomalopus 546
swansoni 554–560
Arizona 239, 240
Ascaphus 714, 716
truei 714, 717
Aspidoscelis 505, 527, 529, 530, 531
angusticeps 530, 531
angusticeps × *deppii* 527
cozumela 527, 528F, 529, 530, 531
deppii 530, 531
maslini 529, 530, 531
neomexicanus 530
rodecki 527–532
Atelopus 117, 122, 123
bomolochos 123
carbonerensis 123
chiriquiensis 215–218
ignescens 116–126
mucubajiensis 123
oxyrhynchus 123
sorianoi 123
sp. 123
varius 217
Ateuchosaurus 546
Atractus 718, 721
elaps 720, 721
emigdioi 718–721
latifrons 720, 721
maculatus 719
major 721
mariselae 718–721
poeppigi 718–721
reticulatus 719
serranus 719
taeniatus 719
torquatus 718–721
trihedrurus 719
univittatus 718–721

ventrimaculatus 718–721
zebrinus 719
Austrochaperina 637–644
adamantina 638, 643
aquilonia 638, 643
archiboldi 638, 639, 641T, 642, 643, 644
basipalmata 638, 642, 643, 644
blumi 638, 643
brevipes 638, 641, 642
derongo 638, 639, 640T, 641, 642, 643
gracilipes 638
guttata 638, 641, 642, 644
glandi 637, 644
hooglandi 637–644
kosarek 638
macrorhyncha 638
mehelyi 638
novaebritanniae 638
palmipes 638, 642, 643, 644
parkeri 638
rivularis 638, 642, 643, 644
septentrionalis sp. nov. 637–644
yelaensis 638
Bassiana duperreyi 554–560
Batrachoseps attenuatus 659–665
Bipes 404
biporus 404–408
Boa
constrictor constrictor 513
constrictor occidentalis 510–516
Bogertophis subocularis 240
Boidae 236, 511
Bombina 716
Bothrops 653, 657
alternatus 657
ammodytoides 335
atrox 653, 657, 658
itapetiningae 657
jararaca 657, 658
jararacussu 657
Buergeria
buergeri 358T, 359F
japonica 358T, 359F
Bufo
americanus 361
beebei 107–115
boreas 544, 575
boreas halophilus 541
bufo 410–413, 575, 624
calamita 410–413, 541, 598
fastidiosus 218T
garmani 358T, 359F
gutturalis 358T, 359F
japonicus 358T, 359F
maculatus 358T, 359F
marinus 109, 541
punctatus 570
spinulosus 541
taiensis 49
terrestris 575
tuberosus 49
Bufonidae 116–126, 354, 355, 358T, 358T, 359F
Caecilia volcani 218T
Caiman latirostris 199–202
Calabaria reinhardtii 236
Callisaurus draconoides 378–382
Callixalus pictus 43
Calyptommatus 161–168
leiolepis 162T
Calyptotis 546
lepidorostrum 546
ruficauda 546
scutirostrum 546
Caretta caretta 183
Carettochelys 178
insculpta 178–182
Carlia
schmeltzii 554–560
scirtetis 554–560
Cemophora 240
Centrolene
andinum 95
prosoblepon 218T
Centrolenidae 91–98
Ceratophrys cornuta 716
Chalcides 557
ocellatus 554–560
Chamaeleo 203–207
chamaeleon 206
montium 203–207
pfefferi 203–207
quadricornis 203–207
quadricornis quadricornis 203
Chamaeleolis 52–58
Chamaelinorops 52–58
barbouri 55T
Charina 236
bottae 236, 237F, 242
prebottae 236, 238
reinhardtii 236
trivirgata 236
Chelidae 427–433
Chelonia 184
agassizii 183
mydas 183–185, 428, 533, 534
mydas agassizii 183
Chelus fimbriata 428
Chelydra serpentina 322
Chiromantis
rufescens 359
xerampelina 354, 357, 358T, 359, 360
Chlamydosaurus kingii 437
Chrysemys
picta 18, 181, 342, 428
picta marginata 342–353
Chthonerpeton 371, 373
indistinctum 371–373
Clemmys
guttata 17–23, 351
muhlenburgi 350
Cnemidophorus 35, 504, 506, 527, 530
angusticeps 527
communis 6, 8
cozumela 527
cozumelus cozumelus 527
cozumelus rodecki 527
cryptus 39
deppei cozumelus 527
deppii 527
dixoni 186
exsanguis 186
gramivagus 505

gularis 186, 187
gularis gularis 186, 187T
gularis septemvittatus 186, 187, 188
laredoensis 186
lemniscatus 35–42, 505, 506
lineatissimus 6, 8
murinus 505
neomexicanus 186
neotesselatus 186, 187
ocellifer 8, 40, 41, 498–509, 703, 739
parecus 505
sexlineatus 186, 395–399, 593
tesselatus 185–188
tigris 186, 187, 378–382
tigris marmoratus 186, 187, 188
uniparens 186
velox 186, 649
Coeranoscincus
frontalis 546, 554, 560
reticulatus 546, 554, 560
Coggeria 546
Coleodactylus
brachystoma 695
meridionalis 695
Coleonyx
brevis 395
variegatus 677
Colobosaura 161–168
modesta 162
Colostethus 707–713, 754, 756
alessandroi 707–713
beebei 754, 756
caeruleodactylus 754, 756
chalcopis 754
citreicola 709
collaris 754, 756
conspicuus 707, 709
exasperatus 707–713
inguinalis 754, 756
marchesianus 707, 709, 754, 757
mcdiarmidi 707–713
nexipus 707–713
nidicola 754
palmatus 754, 756
parcus 709
patitae sp. nov. 707–713
peruvianus 709
stepheni 754, 756
subpunctatus 756
trinitatis 107, 108, 754
whymperi 709
Coluber 238, 240
Colubridae 191, 208, 238
Cophixalus parkeri 767
Cophosaurus texanus 395
Cophyla 635
Cophylinae 629
Cordylidae 577
Cordylus
cordylus 577
macropholis 577–580
niger 577
Crinia 361
georgiana 132–137, 359, 361
Crocodylia 199–202
Crocodylus
johnstoni 181, 200, 201
moreletii 201
palustris 201
porosus 201, 363–368
siamensis 201
Crossodactylus 453
Crotalus 242
adamanteus 316
durissus 147
horridus 145–154, 514
horridus atricaudatus 145–154
horridus horridus 145–154
molossus 147, 149F, 154T
sp. 242
viridis 150, 514
viridis viridis 514
willardi 514
Crotaphytus collaris 211–215, 395–399
Cryptoblepharus
litoralis 554–560
virgatus 554–560
Cryptophyllobates 707
azureiventris 709
Ctenosaura pectinata 301–308
Ctenotus 546, 548
agrestis 546
arnhemicus 546
astictus 546
australis 546
borealis 546
coggeri 546
colletti 546
decaneurus 546
fallens 546
grandis 546
impar 546
inornatus 546
labillardieri 546
leonhardii 546
mimetes 546
pantherinus 546
rimacola 546
schomburgkii 546
serventyi 546
storri 546
stuarti 546
taeniolatus 554–560
vertebralis 546
Cyclodina 368–370
aenea 368, 370
oliveri 368, 370
ornata 368, 370
Cyclomorphus michaeli 554–560
Cyclura 274
nubila nubila 274
Dactyloa 276
Dendrobates sirensis 707, 709
Dermochelys coriacea 183, 428
Dermophis mexicanus 372
Diploalemus 335
Diplodactylus
conspicillatus 702
pulcher 702
Dipsadinae 718
Dipsosaurus dorsalis 585, 684

Discoglossus 716
galganoi 410–413
Drymarchon corais 316
Elaphe 239, 240, 242, 243
flavirufa 240
guttata 240
kansensis 239
nebraskensis 239
obsoleta 150, 240
pliocenica 235–244
rosalie 240
vulpina 239, 240, 242, 243
Eleutherodactylus 79, 245–256, 408–409
altamazonicus 251T
cerasinus 408–409
cooki 15
coqui 10–17, 766
cruentus 408
eriphus 245–256
lanthanites 245–256
martiae 245–256
martinicensis 408
melanostictus 215–218
ockendeni 251T, 253T
operosus 408–409
phoxocephalus 251T
simonbolivari 245–256
spp. 15, 72–81, 245–256
truebae 251T, 253T
variabilis 251T, 253T
Elgaria
coerulea 98–106
multicarinata 586–591
Emoia longicauda 554–560
Emydoidea blandingii 322, 350, 351
Ensatina eschscholtzii 444, 659–665
Epicrates cenchria alvarezi 514
Epipedobates 707, 712
femoralis 756
hahneli 707, 709
petersi 707, 709
Eremiascincus 546, 548
fasciolatus 554–560
Eretmochelys imbricata 400–404, 533–537
Eridiphas 566, 568, 570
marcosensis 568, 569
slevini 566–571
slevini marcosensis 566–571
slevini slevini 568
Erycinae 236
Eryx 236
Eulamprus 546
frerei 546
martini 546
quoyii 554–560, 592–595
Eumeces
fasciatus 395–399
laticeps 376, 395, 692
obsoletus 395–399
septentrionalis 395
skiltonianus 98–106, 98–106, 645–652, 677
Eunectes murinus 513
Eurolophosaurus
amathites 687
divaricatus 687
nanuzae 687–694, 736–741
Fojia 546
Gallotia 741, 745, 769
atlantica atlantica 769–772
atlantica mahoratae 769–772
galloti 306, 741–747
stehlini 745
Gastrotheca pseustes 123
Gavialis gangeticus 201
Gekkonidae 694, 702
Geocrinia
lutea 290
rosea 290
Gephyromantis liber 767
Gerrhonotus liocephalus 586
Glaphyromorphus 546, 548
mjobergi 554–560
Gnypetoscincus 547
queenslandiae 554–560
Gonatodes humeralis 80, 433–438
Gopherus
agassizii 143, 169–177
berlandieri 323
polyphemus 137–144, 315–324
Gymnodactylus 702, 703
darwinii 701
geckoides 504, 694–706
geckoides amarali 504, 506, 694–706
geckoides geckoides 702, 703
guttulatus 701
Gymnophiona 371–373
Gymnophthalmidae 161–168, 197–199, 695
Gymnophthalmus 161–168, 197
leucomystax 161–168
multiscutatus 161
rubricauda 161
underwoodi 161–168
vanzoi 161–168
Gyrinophilus porphyriticus 130
Hemidactylus
mabouia 695
turcicus 593
Hemiergis 546
decresiensis 554–560
Heteronotia 530
Holbrookia propinqua 374–378
Homonota darwinii 335
Hoplocercidae 695
Hyalinobatrachium 91–98
antisthenesi 93T, 97
bergeri 97
chirripoi 97
colymbiphylum 97
crurifasciatum 93T, 95, 96, 97
duranti 93T
eurygnathum 97
fleischmanni 92, 96, 215–218
fragile 93T
iaspidiense 93T
ignioculus sp. nov. 91–98
lemur 97
loreocarinatum 93T
munozorum 97
orientale 91, 93T, 96, 97
ostracodermoides 93T
pallidum 93T
pellucida 97

pleurolineatum 93T
pulveratum 97
revocatum 93T
talamancae 97
taylori 92, 93T, 96
uranoscopum 97
Hydrolaetare 490, 495, 496
dantasi 490–497
schmidti 490, 491, 493F, 496, 497
Hydromedusa
maximiliani 427–433
tectifera 431
Hyla 716
arborea 410–413
avivoca 580
calypsa 215–218
chrysoscelis 580
cinerea 580
femoralis 580
gratiosa 580–582
japonica 358T, 359F
psarolaima 123
regilla 570
rivularis 215–218
squirella 580, 600
Hylidae 354, 355, 358T, 359F
Hylodes 453, 457, 459
Hylodinae 453
Hynobiidae 443
Hyperolius 65, 114
spinosus 43
Hypsiglena 566, 568, 570
Ictiscincus 546
Iguana iguana 301–308
Iguania 41
Iphisa elegans 162
Kentropyx 505
striatus 41
Kinosternon 750, 753
flavescens 751
hirtipes 753
sonoriense 750–754
Lacerta 530
monticola 376, 395, 583–585
vivipara 677
Lacertidae 741–747
Lamprolepis smaragdina 554–560
Lampropeltis 239, 240, 242
calligaster 242
getula 237F, 239, 242
mexicana 242
pyromelana 242
triangulum 242
zonata 242
Lampropholis
delicata 613–617
mirabilis 554–560
Larutia 546
Leimadophis poecilogyrus intermedius 191
Leiolepidinae 190
Leiolepis belliana 189–190
Leiolopisma 368
telfairi 368–370
Leiopelmatanura 714
Leiopelmatidae 714
Leiopelmidae 714
Leiosauridae 695
Lepidodactylus 530
Leposoma 197
guianense 197
oswaldoi 197
parietale 197
percarinatum 197–199
scincoides 197
Leptodactylidae 107–115, 354, 358T, 359F, 453–460, 490–497
Leptodactylus 354–362, 495, 496
albilabris 113, 496
bufonius 114
chaquensis 354–362
dantasi 490–497
fallax 360
fuscus 107–115, 355, 357, 358T, 359F, 360
knudseni 360
labyrinthicus 355, 357, 358T, 359F, 360, 361
macrosternum 355, 358T, 359F, 360
melanonotus 490
mystaceus 107
mystacinus 355, 357, 358T, 359F, 360
notoaktites 355, 357, 358T, 359F, 360
ocellatus 355, 358T, 359F, 361
pentadactylus 107, 113, 360
podicipinus 354–362
syphax 496
Leptodeira 570
Leptopelis natalensis 358T, 359F
Leptoseps 546
Lerista 546, 548, 557
allochira 546
apoda 546, 554–560
bipes 546, 554–560
bougainvillii 546
carpentariae 546
cinerea 546
colliveri 546
distinguenda 546
dorsalis 546, 554–560
elegans 546
emmotti 546
eupoda 546
ips 546
karlschmidti 546
kennedyensis 546
lineata 546
lineopunctulata 546
macropisthopus 546, 554–560
microtis 546
muelleri 546
picturata 546
planiventralis 554–560
praefrontalis 546
praepedita 546
quadrivincula 546
robusta 546
storri 546
stylis 547
tridactyla 547
vittata 547
walkeri 547
wilkinsi 547
xanthura 547
Liasis fuscus 159

Limnomedusa 495
schmidti 490, 495
Liolaemidae 325–341
Liolaemus 325–341, 385–389
abaucan 329, 332, 336, 337
albiceps 329, 332, 336, 337
alticolor 325
bibroni 335, 339
boulengeri 325, 329, 331, 332, 335, 336, 339
cf. *buergeri* 335
calchaqui 329, 332, 336, 337
canqueli 329, 332, 336, 337, 340
chacoensis 329, 332, 337, 340
cranwelli 329, 332, 336, 337
cuyanus 329, 332, 336, 337, 340
darwinii 325, 329, 332, 336, 337
donosobarrosi 329, 332, 336, 337
elongatus 325, 335, 339
fitzingerii 329, 332, 336, 337, 340
gracilis 339
grosseorum 329, 332, 336, 337
hatcheri 329, 332, 337
irregularis 329, 332, 336, 337
koslowskyi 329, 332, 336, 337
laurenti 329, 332, 336, 337
lineomaculatus 329, 332, 337
lutzae 329, 332, 336, 337
melanops 329, 332, 336, 337, 340
montanus 340
monticola 385–389
monticola chillanensis 385–389
monticola villaricensis 388
morenoi sp. nov. 325–341
multimaculatus 329, 332, 336, 337
occiptalis 329, 332, 336, 337
olongasta 329, 332, 336, 337
ornatus 329, 332, 336, 337
pseudoanomalus 340
quilmes 329, 332, 336, 337
rabinoi 329, 332, 336, 337
riojanus 329, 332, 336, 337
rothi 325–341
sagei sp. nov. 325–341
salinicola 329, 332, 337
scapularis 329, 332, 337
silvanae 329, 332, 337
telsen 329, 332, 337
uspallatensis 329, 332, 337
wiegmannii 329, 332, 337
xanthoviridis 329, 332, 337, 340
Liophis
miliaris 191
miliaris intermedius 191
poecilogyrus intermedius 191
reginae 191
reginae semilineatus 191
Lioscincus nigrofasciolatus 554–560
Lipinia 546, 548
Litoria
aurea 541–545
chloris 59–64
pearsoniana 59–64
Lobulia 546
Lygosoma
concolor 546
goerlingi 546
picturata 546
praefrontalis 546
praepedita 546
quadrivincula 546
robusta 546
storri 546
stylis 547
tridactyla 547
vittata 547
walkeri 547
wilkinsi 547
xanthura 547
Mabuya
frenata 504
heathi 395
sp. 210
Macroclemys temminckii 351
Macrovipera schweizeri 155
Madecassophryne 635
Malaclemys terrapin 181, 517–526
Mannophryne trinitatis 107–115
Mantellidae 766–768
Mantidactylus 766–768
argenteus 768
bicalcaratus 766–768
corvus 49
liber 767, 768
majori 768
punctatus 766–768
Mantipus pulcher 634
Masticophis 238, 240
flagellum 316, 376
Megaelosia 453–460
apuana sp. nov. 453–460
bocainensis 453, 454, 459, 460
boticariana 453, 454, 457, 460
goeldii 453, 454, 457, 459, 460
lutzae 453, 454, 457, 460
massarti 453, 454, 457, 459, 460
Megalixalus 43
Mertensiella 440
Mesaspis gadovii 586
Micrablepharus 161–168
maximiliani 162T, 164F
Monopeltis anchietae 406, 407
Morelia spilota spilota 514
Myobatrachidae 132–137, 285–291
Naja melanoleuca 47
Nangura 547
Nectophryne afra 768
Nerodia 127, 229, 232F, 233
cyclopion 233
erythrogaster 229, 231
erythrogaster flavigaster 233
erythrogaster neglecta 229–235
fasciata 219–226
rhombifer 126–131, 229–235, 418
rhombifer rhombifer 126–131, 233
sipedon 126–131, 230, 231, 233, 416, 419
sipedon insularum 729, 730
sipedon pleuralis 126–131, 229–235
sipedon sipedon 416–419, 729–731
Nothobachia 161–168
ablephara 162T
Notoscincus 546, 548
ornatus 547

Oedipina grandis 215–218
Oedura lesueurii 105
Oligosoma 368–370
microlepis 368–370
nigriplantare nigriplantare 368–370
nigriplantare polychroma 368–370
Opheodrys 238, 240
Ophioides striatus 656
Ophiomorus latastii 554–560
Ophioscincus 546
Ophisaurus attenuatus 395–399
Papuascincus 546
Paracontias rothschildi 558
Paralipinia 546, 548
Parvoscincus 546
Pelusios williamsi 428
Phelsuma lineata 767
Phenacosaurus 52–58
heterodermus 41
Philodryas patagoniensis 335, 339
Phrynobatrachus
guineensis 49
plicatus 47
Phrynocephalus interscapularis 749
Phrynosoma
cornutum 550–554, 683, 684
mcallii 679–686
modestum 683
platyrhinos 683
solare 683
Phrynosomatidae 1–10
Phyllobates 712
Phyllodactylus xanti 570
Phyllomedusa hypochondrialis 358T, 359F
Phyllopezus pollicaris 695
Physalaemus 355, 357
albonotatus 355, 358T, 359F
crombiei 355, 358T, 359F
nattereri 355, 358T, 359F
pustulosus 107–115
Pituophis 238, 239
catenifer 238, 239, 243
catenifer deserticola 239
catenifer sayi 239
Platypelis 635
barbouri 635
grandis 635
Plethodon 448, 449, 450
cinereus 440, 444, 460–466, 732–736
jordani 446
metcalfi 445–452
Plethodontidae 440
Plethodontohyla 629–636
bipunctata 633
guentherpetersi 633
inguinalis 629–636
laevipes 633
mihanika sp. nov. 629–636
minuta 633
notosticta 629–636
ocellata 633
serratopalpebrosa 633
tuberata 633
Podarcis
hispanica 585
milensis 692
muralis 395
Podocnemis expansa 181
Polychrotidae 276–285
Polypedates 359
leucomystax 357, 358T, 359F, 496
Prasinohaema 546
Procellosaurinus 161–168
erythrocercus 162T, 164F
Psammophiini 208
Psammophis 208, 209
algiricus 395
algirus 377
phillipsi 208–211
sibilans 210
Pseudacris
crucifer 580
regilla 572–576, 624
triseriata 580
Pseudemoia spenceri 554–560
Pseudemys 726
texana 726–729
Pseudogonatodes guianensis 80
Pseudoleptodeira 570
Psilophthalmus 161–168
paeminosus 162T
Ptychadena
aequiplicata 47
anchietae 358T
Pyxicephalus adspersus 716
Rana 65, 70, 716
aurora 760
aurora aurora 572–576, 760
berlandieri 758
blairi 758
boylii 760
cascadae 760
catesbeiana 293, 560–566, 572–576, 617
chiricahuensis 758
clamitans 596, 618
dalmatina 564
esculenta 393
iberica 410–413
lessonae 393
macronemis 134
muscosa 541, 621–626, 760
onca 758
ornativentris 358T, 359F
perezi 410
pipiens 758
porosa 358T, 359F
pretiosa 292–300, 618, 760
ridibunda 541
sphenocephala 758
subaquavocalis 758–761
sylvatica 65–71, 390–394, 600, 617, 760
tagoi 358T, 359F
temporaria 420–424, 595–602, 622
vibicaria 215–218
warzewitschii 218T
yavapaiensis 758
Ranidae 354, 355, 358T, 359F, (??)
Rhacophoridae 354, 355, 358T, 359F, 496

Rhacophorus 259
arboreus 357, 358T, 359F, 360
owstoni 357, 358T, 359F
schlegelii 357, 358T, 359F, 360
viridis 357, 358T, 359F
Rhinophrynus 716
Rhombophryne 653
Rhyncoedura ornata 702
Saiphos 546
equalis 554–560
Salvadora 238, 240
Salamandra 440, 444
salamandra 410–413, 440–445
salamandra gallaica 440
Salamandridae 440, 443
Saproscincus challengeri 554–560
Sauromalus obesus 684
Scaphiopus 107, 114
bombifrons 114
couchii 570, 618
multiplicatus 114
Sceloporus 6, 7, 195, 311, 675, 723
belli 722
gadovae 6
graciosus 272, 274, 645, 652
horridus 6
jarrovi 437, 675
malachiticus 425–427
melanorhinus 7
merriami 594
occidentalis 88, 676
ochoterenae 723
pyrocephalus 7
scalaris 309
siniferus 6
spinosus 6, 7
spp. 684
undulatus 195, 309–314, 649, 671–679, 722
undulatus belli 722
undulatus consobrinus 723
undulatus elongatus 723
undulatus hyacinthinus 723, 724
undulatus speari 722–725
utiformis 1–10
virgatus 213
woodi 257–265
Scelotes 557
Scinax
acuminatus 358T, 359F
fuscomarginatus 358T, 359F
nasicus 358T, 359F
Scincella 546, 548
barbouri 547
capitanea 547
ladacensis 547
lateralis 395
monticola 547
nepalensis 547
schmidti 546, 548
septentrionalis 547
sikimmensis 547
silvicola 546, 548
travancorica 547
Senticolis triaspis 240
Sistrurus 242
catenatus 151
Smilisca phaeota 218T
Sphaerodactylini 695
Sphenomorphus 545–550
anotus 546
arborens 547
brunneus 546
buenloicus 547
cherrei 546
cherriei 547
cinereus 546
dussumieri 546
fasciatus 546
forbesi 546
fragilis 546
latifasciatus 546
leptofasciatus 546
loriae 546
maculatus 547
meyeri 548
microtympanum 546
multisquamatus 546
muelleri 546
murudensis 546
neuhaussi 546
nigrolineatus 546
oligolepis 546
palustris 547
papuae 546
pratti 546
rara 546
rufocaudatus 547
rufus 546
schultzei 546
scutatus 546
simus 547
solomonis 546
surdum 546
tanneri 546
taylori 547
transversus 546
tropidonotus 546
undulates 546
wollastoni 546
Sphenophryne 637
Spicospina flammocaerulea 285–291
Sternotherus depressus 602–607
Stumpffia 635
Tantilla 240
Taricha granulosa 575
Tauntonophis gen. nov. 235–244
morganorum sp. nov. 235–244
Teiidae 35–42, 161
Teiioidea 161
Teius 505
Telmatobius niger 123
Terrapene
carolina triunguis 666
ornata 749
ornata luteola 665, 747–750
ornata ornata 665–670
Thamnophis 238
couchi 238
elegans 150, 238
ordinoides 238
sauritus 238

sirtalis 238, 293
sp. 237F, 238
Tiliqua
adelaidensis 765
rugosa 554–560
Trachemys scripta 18, 322
Tretioscincus 161–168
agilis 162T
Trimeresurus stejnegeri stejnegeri 514
Trimorphodon 240, 242
Trioceros 203
Trionyx muticus 350
Triturus
alpestris 410–413
marmoratus 410–413
montandoni 321
Tropidophorus 546
Tropiduridae 385–389
Tropidurus
itambere 504
torquatus 306, 506, 687, 703, 738
Tupinambis 505
Typhlonectes compressicauda 372
Typhlonectidae 371–373
Typhlosaurus cregoi 554–560
Uma
notata 395
scoparia 594, 677
Uromastyx 190
Urosaurus
bicarinatus 6
nigricaudus 570
ornatus 6, 309
Uta 684
stansburiana 274, 378–382, 395, 586–591, 724
Vanzosaura 161–168
rubricauda 162T
Vipera
aspis 159, 419
berus 159, 321
latastei 155–160
ursinni rakosiensis 155
Viperidae 242
Xenodontinae 718
Xenopeltis 438, 439
hainanensis 438–440
hainanensis hainanensis 438
hainanensis jidamingae 438–440
unicolor 438, 439
Xenopus laevis 47
Xenosauridae 192
Xenosaurus 192–196
grandis 192, 195
grandis agrenon 192–196
grandis grandis 192, 194, 195
newmanorum 192, 195
penai 192
phalaroanthereon 192
platyceps 192, 195
rectocollaris 192, 195
Zygaspis quadrifrons 406, 407